



Republic of the Philippines
SOUTHERN LUZON STATE UNIVERSITY
Lucban, Quezon

REQUEST FOR QUOTATION

PHOTOCOPIER MACHINE (EXTENSION SERVICES)

**Purchase Request No. 2023-06-1383
Approved Budget for the Contract: ₱ 120,000.00**


The Southern Luzon State University through the Bids and Awards Committee invites interested firms/supplier to submit quotation for the procurement of Photocopier Machine (Extension Services) to apply the sum of One Hundred Twenty Thousand Only (₱ 120,000.00) inclusive of VAT, being the Approved Budget for the Contract (ABC), details as follows:


Qty.	Unit	ITEM/S DESCRIPTION
1	unit	Photocopier Machine
		Smart Operation Panel, Mobile Printing, 27 ppm, copy Print and Scan, Wi-Fi Direct
		*see attached document for reference

1. The quotation must be submitted (can also be send thru email at the contact details listed below) or to the Office of the Procurement Office/Bids and Awards Committee, Southern Luzon State University, 2nd Flr. Hermano Puli Building, and shall be received by the Committee.

E-mail : sisuprocurement2021@gmail.com

2. The SLSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/ informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. Southern Luzon State University SLSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.


Samuel T. Sacopla
Head, Procurement office *2023*
Southern Luzon State University
Lucban, Quezon
Tel. No.: (042)540-6519



RICOH IM 2702

- Ricoh A3 Mono 7" Smart Operation Panel, Mobile Printing, 27ppm
- Copy, Print and Scan
- 600 X 600 dpi Resolution
- 1,600 Sheets (Paper capacity)
- Mobile printing is supported via AirPrint, Mopria®, and Wi-Fi Direct.

RICOH IM 2702

MAIN SPECIFICATIONS

RICOH IM 2702

MODEL		RICOH IM 2702
GENERAL		
Functions	Print, Scan, Copy, Fax	
Operation panel	7-inch Smart Operation Panel	
Warm-up time	25 seconds	
First output speed	6.5 seconds	
Continuous output speed	27ppm	
Memory	Standard: 2GB	
ARDF capacity	100 sheets	
Weight (Mainframe)	46.5kg or less	
Dimensions (W x D x H)	587 x 581 x 677 mm	
Power source	220 - 240V 50/60Hz	
COPIER		
Multiple copying	Up to 999 copies	
Resolution	600 x 600 dpi	
Zoom	From 25% to 400% in 1% steps	
PRINTER		
CPU	ARM CortexA53 800 MHz	
Printer language	Standard: PCL5e/6, PostScript3	
Print resolution	600 x 600 dpi	
Network interface	Standard: Ethernet (1000/100/10BASE), Wireless LAN (IEEE802.11a/b/g/n), USB 2.0-Device (Type-B), USB 2.0-Host	
Mobile printing capability	Apple AirPrint®, Mopria®	
Windows® environments	Windows® 7/8.1/10, Windows® Server 2008/2008 R2/2012/2012 R2/2016/2019	
Mac OS environments	Mac OS X (V10.11 or later)	
UNIX environments	UNIX Sun® Solaris, HP-UX, SCO OpenServer, RedHat® Linux, IBM® AIX	
SAP® environments	SAP® R/3®, SAP® S/4H®	
SCANNER		
Scanning speed	Mono: 50ipm	Color: 50ipm
Resolution	Maximum: 600 dpi	
Compression method	MH/MR/MMR, JPEG	
File formats	Single Page TIFF, Multi Page TIFF, Single Page JPEG, Single Page PDF, Multi Page PDF, Single Page High-Compression PDF, Multi Page High-Compression PDF	
Scan modes	Email, Folder, Network Twain, USB	
FACSIMILE		
Circuit	PSTN	
Transmission speed	3 seconds	
Modem speed	2,400 bps-33.6 Kbps with automatic shift down	
Resolution	Standard: 8 x 3.85 line/mm (200 x 100 dpi), 8 x 7.7 line/mm (200 x 200 dpi)	
Compression method	MH, MR, MMR	
Memory	Standard: 9.7MB	
SECURITY		
Features	Locked Print, SSL communication encryption, Transport Layer Security (TLS), SMTP over SSL/TLS, Wireless LAN encryption, Network Protocol, IP filtering	
PAPER HANDLING		
Recommended paper size	A3, A4, A5, A6, B4, B5, B6	
Paper input capacity	Standard: 500 sheets Maximum: 1,600 sheets	
Paper output capacity	Standard: 250 sheets	
Paper weight	Tray: 52 - 105g/m ² Bypass: 60 - 216g/m ²	
Paper types	Thin Paper, Plain Paper 1, Plain Paper 2, Recycled, Color Paper, Special Paper, Middle Thick Paper, Printed Paper, Preprinted Paper, Prepunched Paper, Letterhead, Bond Paper, Cardstock, Thick Paper 1, Thick Paper 2, Label Paper, OHP, Envelope	
ECOLOGY		
Power consumption	Maximum: Less Than 1.550W Ready mode: Less Than 1.13W Sleep mode: Less than 4W	
TEC Value	Less than 1.309 kWh	
INPUT TRAY OPTIONS		
1 x 500-sheet paper tray (P82030)	Paper size: A5-B4, Paper weight: 60-105g/m ²	
2 x 500-sheet paper tray (P82040)	Paper size: A5-B4, Paper weight: 60-105g/m ²	
OTHER OPTIONS		
Inner 1 Bin Tray BN2020, Fax Option Type M38, NFC Card Reader Type M38, Bypass Tray, Cover Type M16, ADF Handle TypeC, Fax Marker Type 30		