



Republic of the Philippines
SOUTHERN LUZON STATE UNIVERSITY
Lucban, Quezon

REQUEST FOR QUOTATION

WIRELESS MICROPHONE

Purchase Request No. 2023-07-1565
Approved Budget for the Contract: ₱ 80,000.00


The Southern Luzon State University through the Bids and Awards Committee invites interested firms/supplier to submit quotation for the procurement of **Wireless Microphone** to apply the sum of **Ninety-Five Thousand Pesos Only (₱ 95,000.00)** inclusive of VAT, being the **Approved Budget for the Contract (ABC)**, details as follows:

Qty.	Unit	
1	lot	Wireless Microphone Set
		Inclusions:
		*Wireless Conference System Maun Unit with Bluetooth, Record & Play Function
		*Wireless Chairman's Unit (1 unit)
		*Wireless Delegate's Unit (10 units)
		*Channel Compact Bluetooth Audio Mixer w/ USB Input, 2 Mic and Stereo Line Inputs
		*2 way Bass Reflex Full Range Passive Loud Speaker (Pair)
		*see attached document for reference


1. The quotation must be submitted (can also be send thru email at the contact details listed below) or to the Office of the Procurement Office/Bids and Awards Committee, Southern Luzon State University, 2nd Flr. Hermano Puli Building, and shall be received by the Committee.

E-mail : slsuprourement2021@gmail.com

2. The SLSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/ informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. Southern Luzon State University SLSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.


Samuel T. Sacopla
Head, Procurement office
Southern Luzon State University
Lucban, Quezon
Tel. No.: (042)540-6519

- KEVLER TCM-1000V Wireless Conference System Main Unit with Bluetooth, Record & Play Function



11

- Built-in 16 Channel WiFi frequencies.
 - Record and Play thru USB and with Bluetooth function.
 - 5 groups of channel, each channel have 130 frequencies.
 - FIFO function, only 4 units can be use at the same time.
 - Wireless capabilities support an infinite number of units.
 - Built-in advance encryption communication algorithm, completely eliminate communication errors and false action.
 - Balance XLR & unbalance PL output.
 - Automatic shutdown. Host standby for almost 30 mins.
 - Workable distance up to 50 meters, depend on the environment.
 - Main unit can be Rack mount.
-
- ***TCM-1000C Wireless Chairman's Unit***
(1-unit)




- Priority buttons
- Mic On/Off buttons
- Unidirectional condenser mic
- Red light indicate mic is On

- **TCM-1000D Wireless Delegate's Unit**
(10-units)



- Mic On/Off buttons
- Unidirectional condenser mic
- Red light indicate mic is ON

KEVLER Kix Audio 4 Channel Compact Bluetooth Audio Mixer w/ USB Input, 2 Mic and Stereo Line Inputs



Specifications:

- Built-in Bluetooth
- Built-in MP3 Player
- Record & Play Music Using A Computer
- 4 Input Channels
- 2 Mic + 1 Stereo Line Inputs

- Built-in 16 Bit DSP Processor
- 3 Band EQ On All Channels
- Peak LED (All Channels)
- High Accurate Level Indicator
- Phantom Power Switch (+48V)
- Multi-Voltage Power Supply

Features:

- 2 Mic/Line, 1 Stereo Input
- 4 High Headroom Line Inputs
- 3 Band EQ
- Peak LED all Channels
- Headphone Jack Input
- Bluetooth/USB/MP3 w/ Record Function
- LED Display for Better Visibility
- Phantom Power (+48V)
- Connect the computer to rec & play music
- Sealed Rotary Controls Resist Dust and Grime
- Built-in 16 Bit DSP Digital Effects
- Rugged Metal Chassis
- 5 Segment Stereo Meters

KEVLER EON-8 8" 200W 2-Way Bass Reflex Full Range Passive Loud Speaker (Pair)



KEVLER EON Professional Sound System Speaker overview

- 8" passive speaker system
- Provide excellent vocal and bass performance Rugged plastic mold design cabinet
- Bottom pole mount for tripod stand
- Multiple handle for easy transport
- 100° x 60° wave guide horn for wide coverage
- Multi angle enclosure can also use as monitor
- Easy daisy-chain loop

Specifications:

- System Type: 2 Way Full Range
- LF: 8" Woofer (1.5" Voice coil size)
- HF: 1 Titanium Dome Tweeter
- Freq. Resp.: 50Hz-20kHz
- Power: 200W
- Impedance: 80
- Sensitivity: 96dB
- Air Vent: Front
- Inputs: 2 NL4 Speakon
- Enclosure: ABS Plastic Material
- Dimension (HxWxD): 39(H) x 25(W) x 21(0)cm
- Net Weight: 5Kg