



Republic of the Philippines  
**SOUTHERN LUZON STATE UNIVERSITY**  
 Lucban, Quezon

**REQUEST FOR QUOTATION**

**EQUIPMENT FOR GRAPHICS, PHOTO, AND VIDEO MATERIALS (CIT)**

**Purchase Request No. 2024-02-0630**  
**Approved Budget for the Contract: ₱351,083.58**

The Southern Luzon State University through the Bids and Awards Committee invites interested firms/supplier to submit quotation for the procurement of **Equipment for Graphics, Photo, and Video Materials (CIT)** to apply the sum of **Three Hundred Fifty One Thousand Eighty Three Pesos and Fifty Eight Centavos Only (₱ 351,083.58)** inclusive of VAT, being the **Approved Budget for the Contract (ABC)**, details as follows:

Qty.	Unit	ITEM/S DESCRIPTION
1	unit	<b>DSLR CAMERA KIT</b> *32.5 Megapixel APS-C CMOS sensor *Dual Pixel autofocus (live view/video) *45-point all cross-type AF (through the viewfinder) *220k-pixel metering sensor w/ face detection * 7 fps burst shooting w/ continuous AF *Fully articulating 3" touchscreen display *Optical viewfinder w/ 100% coverage *4K/30p video capture with no crop *USB 2.0 port with Micro USB connector * Wi-Fi + Bluetooth  Inclusions: *Camera Bag *18-135mm Lens *Neck Strap *3 additional Battery *Battery Charger *2 pc 128 GB SD Card (Extreme Pro)  ""Tripod Kit with Video Fluid Head *5.5 lb Capacity Flat Base Tripod Head *Independent Pan and Tilt Controls *3-Stage Aluminum Tripod * Integrated Leveling Platform *18.5 to 62.4"" Height Range *Three Adjustable Leg Angles *Removable Leg for Monopod Use *Spiked or Rubber Feet


1	unit	<p><b>CAMERA LENS (18-300MM)</b>  *18-300mm F3.5-6.3 DC MACRO HSM Contemporary C014 Pentax K Mount APS-C / Super35  *EF-Mount Lens/APS-C Format  *28.8-480mm (35mm Equivalent)  *Aperture Range: f/3.5 to f/22  *Four FLD Elements and One SLD Element  *Three Aspherical Elements  *Super Multi-Layer Coating  *Hyper Sonic Motor AF System  *OS Image Stabilization  *1:3 Magnification, 1.3' Minimum Focus  *Rounded 7-Blade Diaphragm  *Built-In Lens Hood</p>
1	unit	<p><b>CAMERA LENS (8-16mm)</b>  *Aperture Range - Wide / Long: f/4.5-22 / f/5.6-22 Aperture Max by Focal Length: 8-8mm = f/4.5 and 5.0, 13/16mm = f/5.6  *EF-Mount Lens/APS-C Format  *12.8-25.6mm (35mm Equivalent)  *Aperture Range: f/4.5 to f/22  *Four FLD Elements, One SLD Element  *Three Aspherical Elements  *Super Multi-Layer Coating  *Hyper Sonic Motor AF System  *7-Blade Diaphragm  *Built-In Lens Hood</p>
1	unit	<p><b>600Ws Strobe Studio Flash Light Kit 3pcs 200Ws Photographic Lighting - Strobes + Light Stands +</b></p>
1	unit	<p><b>DSLR Gimbal</b>  This compact stabilizer for mirrorless and DSLR cameras features a foldable design and intuitive features, empowering filmmakers, one-man crews, and content creators everywhere  2x1, USB-C Charging Cable (40cm) x1, Lens Support x1, Quick-Release Plate (Area-Swiss/Manfrotto) x1, Camera Riser x1, Multi-Camera Control Cable (USB-C, 30cm) x1, Multi-Camera Control Cable (Multi, 30cm) x1, Multi-Camera Control Cable (Micro-USB, 30cm) x1, Multi-Camera Control Cable (Mini-USB, 30cm) x1, Hook-and-Loop Strap x2, D-Ring Camera Mounting Screw 1/4"-20 x2, Screw 1/4"-20 x1, Extended Grip/Tripod (Plastic) x1 with DSLR Dual handle and rod</p>
1	unit	<p><b>Portable and Palm-Sized Gimbal Stabilizer for Smartphones</b>  Built-In Extension Rod  Shoot Like a Pro  Smart Gimbal with ActiveTrack 4.0  3-Axis Gimbal Stabilizer for Smartphones</p>

1	unit	<b>HD Camera</b> 4K Ultra HD (3840 x 2160) recording, Balanced Optical SteadyShot™ with 5-axis Intelligent Active mode 26.8 mm (1.06 in) wide-angle ZEISS Vario-Sonnar® T* lens, 20x optical zoom with 30x/40x (4K/HD) Clear Image Zoom Versatile manual settings, SENSOR TYPE, 1/2.5 type (7.20 mm) back-illuminated Exmor R CMOS Sensor EFFECTIVE PIXELS (VIDEO), Approx 8.29 Megapixels (16:9) 9 LENS TYPE, ZEISS® Vario-Sonnar® T*, OPTICAL ZOOM 20X, CLEAR IMAGE ZOOM 4K: 30x HD: 40:10, SCREEN TYPE, 7.5 cm (3.0 type) Xtra Fine LCD™ display (921 x 600 dots) Wide (16:9) With Bag and Strap with Two (2) year warranty
---	------	--

1. The quotation must be submitted (can also be send thru email at the contact details listed below) or to the Office of the Procurement Office/Bids and Awards Committee, Southern Luzon State University, 2<sup>nd</sup> Flr. Hermano Puli Building, and shall be received by the Committee.

E-mail : [slsuprocedurement2021@gmail.com](mailto:slsuprocedurement2021@gmail.com)

2. The SLSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/ informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. Southern Luzon State University SLSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.

  
**MARIDEL C. ZABELLA**  
Head, Procurement Office  
Southern Luzon State University  
Lucban, Quezon  
Tel. No.: (042)540-6519





**Republic of the Philippines**  
**SOUTHERN LUZON STATE UNIVERSITY**  
**Lucban, Quezon**

**REQUEST FOR QUOTATION**

<b>Office/End-User:</b>	<b>CIT</b>	<b>Date:</b>	
<b>COMPANY NAME:</b>		<b>PR No.:</b>	<b>2024-02-0630</b>
<b>ADDRESS :</b>		<b>TIN No.:</b>	
<b>TEL. NO./FAX NO. :</b>			

Please quote your lowest price on the item(s) listed below, subject to the Terms & Conditions stated below and submit your quotation duly signed by your representative not later than \_\_\_\_\_ of \_\_\_\_\_ in the return envelope attached herewith to the Procurement office.

**TERMS and CONDITIONS**

1. All entries must be typewritten or legibility written.
2. Delivery period within \_\_\_\_\_ upon conforme of the approved Purchase Order (P.O).  
Administrative penalties to Sec. 69 of the Revised IRR-RA 1984 shall be imposed for non-delivery without valid reason.
3. Warranty shall be for a minimum of three (3) months for Supplies & Materials;  
(1) one year for Equipment from date of acceptance by the end-user.
4. Price validity shall be for a period of sixty (60) calendar days.
5. Suppliers required to submit updated documents yearly such as G-EPS Resgistration, Certificate of Tax, Mayor's Permit, DTI, Bank Name/Account and Branch for evaluation of the Procurement Office upon submission of the quotation.
6. Bidders shall submit complete specifications showing products certification, if applicable.
7. Please indicate the brand for each items being offered.
8. The Approved budget ceiling for this procurement is PHP 351,083.58.

**MARIDEL C. ZABELLA**  
**Head, Procurement Office**

Item #	Qty.	Unit	ITEM/S DESCRIPTION	Unit Price	Total Cost
	1	set	<b>DSLR CAMERA KIT</b> *32.5 Megapixel APS-C CMOS sensor *Dual Pixel autofocus (live view/video) *45-point all cross-type AF (through the viewfinder) *220k-pixel metering sensor w/ face detection * 7 fps burst shooting w/ continuous AF *Fully articulating 3" touchscreen display *Optical viewfinder w/ 100% coverage *4K/30p video capture with no crop *USB 2.0 port with Micro USB connector * Wi-Fi + Bluetooth  <b>Inclusions:</b> *Camera Bag *18-135mm Lens *Neck Strap *3 additional Battery *Battery Charger *2 pc 128 GB SD Card (Extreme Pro)  ""Tripod Kit with Video Fluid Head *5.5 lb Capacity Flat Base Tripod Head *Independent Pan and Tilt Controls *3-Stage Aluminim Tripod * Integrated Leveling Platform *18.5 to 62.4"" Height Range *Three Adjustable Leg Angles *Removable Leg for Monopod Use *Spiked or Rubber Feet		

1	unit	<b>CAMERA LENS (18-300MM)</b> *18-300mm F3.5-6.3 DC MACRO HSM Contemporary C014 Pentax K Mount APS-C / Super35 *EF-Mount Lens/APS-C Format *28.8-480mm (35mm Equivalent) *Aperture Range: f/3.5 to f/22 *Four FLD Elements and One SLD Element *Three Aspherical Elements *Super Multi-Layer Coating *Hyper Sonic Motor AF System *OS Image Stabilization *1:3 Magnification, 1.3' Minimum Focus *Rounded 7-Blade Diaphragm *Built-In Lens Hood		
1	unit	<b>CAMERA LENS (8-16mm)</b> *Aperture Range - Wide / Long: f/4.5-22 / f/5.6-22 Aperture Max by Focal Length: 8-8mm = f/4.5 and 5.0, 13/16mm = f/5.6 *EF-Mount Lens/APS-C Format *12.8-25.6mm (35mm Equivalent) *Aperture Range: f/4.5 to f/22 *Four FLD Elements, One SLD Element *Three Aspherical Elements *Super Multi-Layer Coating *Hyper Sonic Motor AF System *7-Blade Diaphragm *Built-In Lens Hood		
1	unit	<b>600Ws Strobe Studio Flash Light Kit 3pcs 200Ws Photographic Lighting - Strobes + Light Stands +</b>		
1	unit	<b>DSLR Gimbal</b> This compact stabilizer for mirrorless and DSLR cameras features a foldable design and intuitive features, empowering filmmakers, one-man crews, and content creators everywhere 2x1, USB-C Charging Cable (40cm) x1, Lens Support x1, Quick-Release Plate (Area-Swiss/Manfrotto) x1, Camera Riser x1, Multi-Camera Control Cable (USB-C, 30cm) x1, Multi-Camera Control Cable (Multi, 30cm) x1, Multi-Camera Control Cable (Micro-USB, 30cm) x1, Multi-Camera Control Cable (Mini-USB, 30cm) x1, Hook-and-Loop Strap x2, D-Ring Camera Mounting Screw 1/4"-20 x2, Screw 1/4"-20 x1, Extended Grip/Tripod (Plastic) x1 with DSLR Dual handle and rod		
1	unit	<b>Portable and Palm-Sized Gimbal Stabilizer for Smartphones</b> Built-In Extension Rod Shoot Like a Pro Smart Gimbal with ActiveTrack 4.0 3-Axis Gimbal Stabilizer for Smartphones		
1	unit	<b>HD Camera</b> 4K Ultra HD (3840 x 2160) recording, Balanced Optical SteadyShot™ with 5-axis Intelligent Active mode 87 26.8 mm (1.06 in) wide-angle ZEISS Vario-Sonnar® T* lens, 20x optical zoom with 30x/40x (4K/HD) Clear Image Zoom Versatile manual settings, SENSOR TYPE, 1/2.5 type (7.20 mm) back-illuminated Exmor R CMOS Sensor EFFECTIVE PIXELS (VIDEO), Approx 8.29 Megapixels (16:9) 9 LENS TYPE, ZEISS® Vario-Sonnar® T*, OPTICAL ZOOM 20X, CLEAR IMAGE ZOOM 4K: 30x HD: 40:10, SCREEN TYPE, 7.5 cm (3.0 type) Xtra Fine LCD™ display (921 x 600 dots) Wide (16:9) With Bag and Strap with Two (2) year warranty		
Source of Fund:		Warranty:		
Delivery Period:		Price Validity:		
<i>After having carefully read &amp; accepted your General Conditions, We quote you on the item(s) at prices note above. If the space of provided on the Delivery Period, Warranty &amp; Price Validity are left blank, it means that I concur w/ the Terms &amp; Conditions specified by SLSU Procurement Office.</i>				
<hr/> Printed Name/Signature/Date				
AFA-PRC-1.02 F2, REV. 4				