

Republic of the Philippines SOUTHERN LUZON STATE UNIVERSITY Lucban, Quezon

REQUEST FOR QUOTATION

PRINTERS (PROCUREMENT)

Purchase Request No. 2024-09-1837
Approved Budget for the Contract: £637,730.00

The Southern Luzon State University through the Bids and Awards Committee invites interested firms/supplier to submit quotation for the procurement of Printers (Procurement) to apply the sum of Printers (Procurement) to apply the sum of Six Hundred Thirty Pesos Only (#2 637,730.00) inclusive of VAT, being the Approved Budget for the Contract (ABC), details as follows:

Qty.	Unit	ITEM/S DESCRIPTION
1	unit	Printer Hi-speed USB Ethernet (10/100) Wireless1 (IEE 802.11a/b/g/n, 2.5/5.0 Wireless PictBridge4 Ink Technology Color: Up to 4800 x 2400 dpi12 Black/ Monochrome: Up to 4800 x 2400 dpi12 OS Compatibility Windows: 13 Windows 10, Windows 8.1, Windows 7 SP1 Mac: 14 Mac OS X v10.11.6 - macOS v10.15 Mobile Operating Systems: 15 iOS, Android, Windows 10 Mobile Standard Interfaces
1	unit	Printer Print speed of up to 25.0 ipm Prints up to A3+ (for simplex) Automatic duplex printing Ultra-high page yield of 7,500 pages (black) and 6,000 pages (colour) Wi-Fi, Wi-Fi Direct, Ethernet Nozzle Configuration: 800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution: 4800 x 2400 dpi
2	unit	Printer Print Method: On-demand inkjet (Piezoelectric) Maximum Print Resolution: 5760 x 1440 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Volume: 1.5 pl Automatic Duplex Printing: No Control Panel: 2.7" TFT Colour LCD Print Direction: Bi-directional printing, Uni-directional printing Nozzle Configuration: 90 nozzles, each colour (Cyan, Light Cyan, Magenta, Light Magenta, Yellow, Black) Photo Default - 10 x 15 cm / 4 x 6 " *2: Approx 27 sec per photo (Borderless) *1 Max Photo Draft - 10 x 15 cm / 4 x 6 " *2: Approx. 12 sec per photo (Borderless) *1 Draft, A4 (Black / Colour): Up to 37 ppm / 38 ppm *1 ISO 24734, A4 Simplex (Black / Colour): Up to 5.0 ipm / 4.8 ipm *1
1	unit	Printer Printing Technology: PrecisionCore 4S printhead 4-color inkjet Maximum Print Resolution: 4800 x 1200 optimized dpi ISO Print Speed: Black: 24 ISO ppm† Color: 24 ISO ppm† 2- Sided ISO Print Speed: Black: 15 ISO ppm† Minimum Ink Droplet Size: As small as 3.8 picoliters
3	unit	Eco Tank Printer Printer Type: Print, Scan, Copy Print Method: On-demand inkjet (piezoelectric) Printer Language: ESC/P-R, ESC/P Raster Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow) Maximum Resolution: 5760 x 1440 dpi Automatic 2- sided Printing: Yes (Up to A4) Photo Default - 10 x 15 cm / 4 x 6 " *1: Approx. 92 sec per photo (Borderless) *2 Approx. 69 sec per photo (Border) *2 Draft, A4 (Black / Colour): Up to 33 ppm / 15 ppm*2 ISO 24734, A4 Simplex (Black / Colour): Up to 10.5 ipm / 5.0 ipm*2 ISO 24734, A4 Duplex (Black / Colour): Up to 6.0 ipm / 4.0 ipm*2 First Page Out Time from Ready Mode (Black / Colour): Approx. 10 sec / 16 sec*2

1	unit	Laserjet Printer Print Speed - Black (normal) Up to 30 ppm First page out (ready) black As fast as 6.4 sec Resolution (black) Up to 1200 x 1200 dpi Resolution technology FastRes 1200, ProRes 1200 Monthly duty cycle Up to 30,000 pages Processor speed 800 MHz 1 Hi-Speed USB 2.0; 1 Ethernet 10/100 network Memory, standard 256 MB Duplex printing Automatic (standard) Media sizes supported A4; A5; B5 (JIS); A6 Media types Paper (laser, plain, photo, rough, vellum), envelopes, labels, cardstock, postcards
1	unit	Matrix Printer Print Method: Impact dot matrix Control Panel: 4 switches and 5 LEDs Print Direction: Bidirection with logic seeking Number of Pins in Head: 9 pins Control Code: ESC/P and IBM PPDS emulation Number of Pins: 9 High Speed Draft: (10 / 12 / 15 cpi): 347 / 357 / 390 cps (Condensed, 17 / 20 cpi): 383 / 298 cps Draft: (10 / 12 / 15 cpi): 260 / 312 / 223 cps (Condensed, 17 / 20 cpi): 222 / 260 cps (Emphasized, 10 cpi): 130 cps NLQ: (10 / 12 / 15 / 17 / 20 cpi): 65 / 78 / 55 / 47 / 56 cps Printhead Life: Approx. 400 million strokes/wire Mean Print Volume Between Failure (MVBF): Approx. 20 million lines (Except print head) Mean Time Between Failure (MTBF): Approx. 10,000 POH (25% Duty)
7	unit	Eco Tank Printer Print, Scan, Copy, Fax with ADF Print Method: On-demand inkjet (Piezoelectric) Printer Language: ESC/P-R, ESC/P Raster Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow) Maximum Resolution: 5760 x 1440 dpi Automatic 2- sided Printing: No Photo Default - 10 x 15 cm / 4 x 6 " *1: Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless)*2 Draft, A4 (Black / Colour): Up to 33 ppm / 15 ppm*2 ISO 24734, A4 Simplex (Black / Colour): Up to 10 ipm / 5.0 ipm*2 First Page Out Time from Ready Mode (Black / Colour): Approx. 10 sec / 16 sec*2
11	unit	Eco Tank Printer Printing Technology:MicroPiezo® Heat-Free technology 4-color (CMYK) Maximum Print Resolution:Up to 5760 dpi x 1440 dpi optimized on various paper types ISO Print Speed:10.5 ppm black, 5 ppm color† Maximum Draft Print Speed:10 ppm black, 5 ppm color† Minimum Ink Droplet Size:3 picoliters with variable ink drop technology
8	unit	Printer Print Method:On-demand inkjet (Piezoelectric) Printer Language:ESC/P-R, ESC/P Raster Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow) Maximum Resolution: 5760 x 1440 dpi Automatic 2-sided Printing: No Photo Default - 10 x 15 cm / 4 x 6 " *1: Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless)*2 Draft, A4 (Black / Colour): Up to 33.0 ppm / 15.0 ppm*2 ISO 24734, A4 Simplex (Black / Colour): Up to 10.0 ipm / 5.0 ipm*2 First Page Out Time from Ready Mode (Black / Colour): Approx. 10 sec / 16 sec*2

1. The quotation must be submitted (can also be send thru email at the contact details listed below) or to the Office of the Procurement Office/Bids and Awards Committee, Southern Luzon State University, 2nd Flr. Hermano Puli Building, and shall be received by the Committee.

E-mail: slsuprocurement@slsu.edu.ph

2. The SLSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/ informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. Southern Luzon State University SLSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.

MARIDEL C. ZABELLA Head, Procurement Office Southern Luzon State University Lucban, Quezon Tel. No.: (042)540-6519



Republic of the Philippines SOUTHERN LUZON STATE UNIVERSITY Lucban, Quezon

REQUEST FOR QUOTATION

ffice/End-User:	Procurement Office	Date:	
COMPANY NAME:		PR No.:	2024-09-1837
ADDRESS :			
TEL. NO./FAX NO. :		TIN No.:	

TERMS and CONDITIONS

- All entries must be typewritten or legibility written.
 Delivery period within ____ upon conforme of the approved Purchase Order (P.O).
 Administratitive penalties to Sec. 69 of the Revised IRR-RA 1984 shall be imposed for nondelivery without valid reason.
- 3. Warranty shall be for a minimum of three (3) months for Supplies & Materials;
- (1) one year for Equipment from date of acceptance by the end-user.
- 4. Price validity shall be for a period of sixty (60) calendar days.
- 5. Suppliers required to submit updated documents yearly such as G-EPS Resgistration, Certificate of Tax, Mayor's Permit, DTI, Bank Name/Account and Branch for evaluation of the Procurement Office upon submission of the quotation.

 6. Bidders shall submit complete specifications showing products certification, if applicable.

 7. Please indicate the brand for each items being offered.

 8. The Approved budget celling for this procurement is PHP 637,730.00.

- PHP 637,730.00

MARIDEL C. ZABELLA Head, Procurement Office

tem#	Qty.	Unit	ITEM/S DESCRIPTION	Unit Price	Total Cost
1	1	unit	Printer Hi-speed USB Ethernet (10/100) Wireless1 (IEE 802.11a/b/g/n, 2.5/ 5.0 Wireless PictBridge4 Ink Technology Color: Up to 4800 x 2400 dpi12 Black/ Monochrome: Up to 4800 x 2400 dpi12 OS Compatibility Windows: 13 Windows 10, Windows 8.1, Windows 7 5P1 Mac: 14 Mac OS X v10.11.6 - macOS v10.15 Mobile Operating Systems: 15 iOS, Android, Windows 10 Mobile Standard Interfaces		
2	1	unit	Printer Print speed of up to 25.0 ipm Prints up to A3+ (for simplex) Automatic duplex printing Ultrahigh page yield of 7,500 pages (black) and 6,000 pages (colour) Wi-Fi, Wi-Fi Direct, Ethernet Nozzle Configuration: 800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution: 4800 x 2400 dpi		
3	2	unit	Printer Print Method: On-demand inkjet (Piezoelectric) Maximum Print Resolution: 5760 x 1440 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Volume: 1.5 pl Automatic Duplex Printing: No Control Panel: 2.7" TFT Colour LCD Print Direction: Bi-directional printing, Unidirectional printing Nozzle Configuration: 90 nozzles, each colour (Cyan, Light Cyan, Magenta, Light Magenta, Yellow, Black) Photo Default - 10 x 15 cm / 4 x 6 " *2: Approx. 27 sec per photo (Borderless) *1 Max Photo Draft - 10 x 15 cm / 4 x 6 " *2: Approx. 12 sec per photo (Borderless) *1 Draft, A4 (Black / Colour): Up to 37 ppm / 38 ppm *1 ISO 24734, A4 Simplex (Black / Colour): Up to 5.0 lpm / 4.8 ipm *1		
4	1	unit	Printer Printing Technology: PrecisionCore 4S printhead 4-color inkjet Maximum Print Resolution: 4800 x 1200 optimized dpi ISO Print Speed: Black: 24 ISO ppm† Color: 24 ISO ppm† 2-Sided ISO Print Speed: Black: 15 ISO ppm† Minimum Ink Droplet Size: As small as 3.8 picoliters		
5	3	unit	Eco Tank Printer Printer Type: Print, Scan, Copy Print Method: On-demand inkjet (piezoelectric) Printer Language: ESC/P-R, ESC/P Raster Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow) Maximum Resolution: 5760 x 1440 dpi Automatic 2-sided Printing: Yes (Up to A4) Photo Default - 10 x 15 cm / 4 x 6" *1: Approx. 92 sec per photo (Borderless) *2 Approx. 69 sec per photo (Border) *2 Draft, A4 (Black / Colour): Up to 33 ppm / 15 ppm *2 ISO 24734, A4 Simplex (Black / Colour): Up to 10.5 ipm / 5.0 ipm *2 ISO 24734, A4 Duplex (Black / Colour): Up to 6.0 ipm / 4.0 ipm *2 First Page Out Time from Ready Mode (Black / Colour): Approx. 10 sec / 16 sec*2		
			Page 1 of 2		00011

Source of Fund:

Delivery Period:

Warranty:

Price Validity:

After having carefully need & accepted your Genaral Conditions, We quote you on the item(s) at prices note above. If the space of provided on the Delivery Period, Warranty & Price Validity are left blank, it means that I oncur w/ the Terms & Conditions specified by SLSU Procurement Office.

Printed Name/Signature/Date

AFA-PRC-1.02 F2, REV. 4



Republic of the Philippines SOUTHERN LUZON STATE UNIVERSITY Lucban, Quezon

REQUEST FOR QUOTATION

Office/End-User:	Procurement Office	Date:	
COMPANY NAME:		PR No.:	2024-09-1837
ADDRESS :			
TEL. NO./FAX NO. :		TIN No.:	

Please quote your lowest price on the item(s) listed below, subject to the Terms & Conditions stated below and submit your quotation duly signed by your representative not later than of in the return envelope attached herewith to the Procurement office.

TERMS and CONDITIONS

- All entries must be typewritten or legibility written.
 Delivery period within _____upon conforme of the opproved Purchase Order (P.O).
 Administratitive penalties to Sec. 69 of the Revised IRR-RA 1984 shall be imposed for nondelivery without valid reason.
- 3. Warranty shall be for a minimum of three (3) months for Supplies & Materials; (1) one year for Equipment from date of acceptance by the end-user.
- 4. Price validity shall be for a period of sixty (60) calendar days.
- 5. Suppliers required to submit updated documents yearly such as G-EPS Resgistration, Certificate of Tax, Mayor's Permit, DTI, Bank Name/Account and Branch for evaluation of the Procurement Office upon submission of the quotation.
- 6. Bidders shall submit complete specifications showing products certification, if applicable.
- 7. Please indicate the brand for each items being offered.
- 8. The Approved budget celling for this procurement is

PHP 637,730.00

MARIDEL C. ZABELLA Head, Procurement Office

item#	Qty.	Unit	ITEM/S DESCRIPTION	Unit Price	Total Cost
6	1	unit	Laserjet Printer Print Speed - Black (normal) Up to 30 ppm First page out (ready) black As fast as 6.4 sec Resolution (black) Up to 1200 x 1200 dpi Resolution technology FastRes 1200, ProRes 1200 Monthly duty cycle Up to 30,000 pages Processor speed 800 MHz 1 Hi-Speed USB 2.0; 1 Ethernet 10/100 network Memory, standard 256 MB Duplex printing Automatic (standard) Media sizes supported A4; A5; B5 (JIS); A6 Media types Paper (laser, plain, photo, rough, vellum), envelopes, labels, cardstock, postcards Matrix Printer		
7	1	unit	Print Method: Impact dot matrix Control Panel: 4 switches and 5 LEDs Print Direction: Bi-direction with logic seeking Number of Pins in Head: 9 pins Control Code: ESC/P and IBM PPDS emulation Number of Pins: 9 High Speed Draft: (10 / 12 / 15 cpi): 347 / 357 / 390 cps (Condensed, 17 / 20 cpi): 383 / 298 cps Draft: (10 / 12 / 15 cpi): 260 / 312 / 223 cps (Condensed, 17 / 20 cpi): 222 / 260 cps (Emphasized, 10 cpi): 130 cps NLQ: (10 / 12 / 15 / 17 / 20 cpi): 65 / 78 / 55 / 47 / 56 cps Printhead Life: Approx. 400 million strokes/wire Mean Print Volume Between Failure (MVBF): Approx. 20 million lines (Except print head) Mean Time Between Failure (MTBF): Approx. 10,000 POH (25% Duty)		
8	7	unit	Eco Tank Printer Print, Scan, Copy, Fax with ADF Print Method: On-demand inkjet (Piezoelectric) Printer Language: ESC/P-R, ESC/P Raster Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow) Maximum Resolution: 5760 x 1440 dpi Automatic 2-sided Printing: No Photo Default - 10 x 15 cm / 4 x 6 " *1: Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless)*2 Draft, A4 (Black / Colour): Up to 33 ppm / 15 ppm*2 ISO 24734, A4 Simplex (Black / Colour): Up to 10 ipm / 5.0 ipm*2 First Page Out Time from Ready Mode (Black / Colour): Approx. 10 sec / 16 sec*2		
9	11	unit	Eco Tank Printer Printing Technology:MicroPiezo® Heat-Free technology 4-color (CMYK) Maximum Print Resolution:Up to 5760 dpi x 1440 dpi optimized on various paper types ISO Print Speed:10.5 ppm black, 5 ppm color† Maximum Draft Print Speed:10 ppm black, 5 ppm color† Minimum Ink Droplet Size:3 picoliters with variable ink drop technology		
10	8	unit	Printer Print Method:On-demand inkjet (Piezoelectric) Printer Language:ESC/P-R, ESC/P Raster Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow) Maximum Resolution: 5760 x 1440 dpi Automatic 2-sided Printing: No Photo Default - 10 x 15 cm / 4 x 6 " *1: Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless)*2 Draft, A4 (Black / Colour): Up to 33.0 ppm / 15.0 ppm*2 ISO 24734, A4 Simplex (Black / Colour): Up to 10.0 ipm / 5.0 ipm*2 First Page Out Time from Ready Mode (Black / Colour): Approx. 10 sec / 16 sec*2		
			Page 2 of 2		
Source o			A second control of the second control of th	Varranhr	

Source	of	Fu	nd
Source	VI.	r u	nu.

Delivery Period:

Warranty:

Price Validity:

After having carefully need & accepted your Genaral Conditions, We quote you on the item(s) at prices note above. If the space of provides on the Delivery Period, Warranty & Price Validity are left blank, it means that I oncur w/ the Terms & Conditions specified by SLSU Procurement Office.

Printed Name/Signature/Date

AFA-PRC-1.02 F2, REV. 4

