



Republic of the Philippines  
**SOUTHERN LUZON STATE UNIVERSITY**  
Lucban, Quezon

**REQUEST FOR QUOTATION**

**REPAIR FOR WATERGATE OF FISHPOND (ALABAT)**

**Purchase Request No. 2024-08-1722**

**Approved Budget for the Contract: ₱110,000.00**


The Southern Luzon State University through the Bids and Awards Committee invites interested firms/supplier to submit quotation for the procurement of **Repair for Watergate of Fishpond (Alabat)** to apply the sum of **One Hundred Ten Thousand Pesos Only (₱ 110,000.00)** inclusive of VAT, being the **Approved Budget for the Contract (ABC)**, details as follows:

Qty.	Unit	ITEM/S DESCRIPTION
1	lot	Water gate Repair/ Repair of C5
		*see attached document for specifications

1. The quotation must be submitted (can also be send thru email at the contact details listed below) or to the Office of the Procurement Office/Bids and Awards Committee, Southern Luzon State University, 2<sup>nd</sup> Flr. Hermano Puli Building, and shall be received by the Committee.

E-mail : [slsuprocedurement@slsu.edu.ph](mailto:slsuprocedurement@slsu.edu.ph)

2. The SLSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/ informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. Southern Luzon State University SLSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.

  
**MARIDEL C. ZABELLA**  
Head, Procurement Office  
Southern Luzon State University  
Lucban, Quezon  
Tel. No.: (042)540-6519







REPUBLIC OF THE PHILIPPINES  
SOUTHERN LUZON STATE UNIVERSITY  
PHYSICAL PLANT AND FACILITIES



PROJECT TITLE:	Repair of Watergate at Fishpond of SLSU Alabat
PROJECT LOCATION:	SLSU Alabat Campus, Alabat, Quezon
OWNER:	Southern Luzon State University
MODE OF IMPLEMENTATION:	by Contract
DURATION:	20 working days for 3 Mason and 2 Helpers

--	--	--	--	--

**SUMMARY**

ITEM	DESCRIPTION	MATERIALS COST	LABOR AND EQUIPMENT COST	TOTAL COST
I	Mobilization and Demobilization			-
II	Demolition			-
I	Masonry Works	-	-	-
II	Miscellaneous	-	-	-
TOTAL ESTIMATED DIRECT COST				-
OVERHEAD, CONTINGENCIES AND MISC. (OCM)				-
CONTRACTOR'S PROFIT				-
VALUE ADDED TAX (VAT)				-
TOTAL ESTIMATED PROJECT COST				-

*[Handwritten signature]*

REPUBLIC OF THE PHILIPPINES  
SOUTHERN LUZON STATE UNIVERSITY  
PHYSICAL PLANT AND FACILITIES

PROJECT TITLE:	Repair of Watergate at Fishpond of SLSU Alabat
PROJECT LOCATION:	SLSU Alabat Campus, Alabat, Quezon
OWNER:	Southern Luzon State University
MODE OF IMPLEMENTATION:	by Contract
DURATION:	20 working days for 3 Mason and 2 Helpers

**BILL OF MATERIALS**

ITEM	DESCRIPTION	Qty	Unit	Direct Cost	Total Materials Cost
------	-------------	-----	------	-------------	----------------------

**I. Aluminum partition**

1	CHB #5	140	pcs		
2	Reinforcing Steel Bar (RSB) 10mm dia	12	pcs		
3	Portland Cement	15	bags		
4	Crusher Sand	2	cu.m		
5	Vibro Sand	2	cu.m		
6	Gravel 3/4	0.5	cu.m		
7	G.I. Wire #16	5	kg		
<b>SUB-TOTAL</b>					-

**II. Miscellaneous Works**

1	Nylon Screen (Size are to be verified by the end user)	4	m		
2	Good Lumber 30mm(L) x 30mm(W) x 25mm(T)	9	pcs		
3	Assorted Nails	5	kg		
4	Cable Ties	50	pcs		
<b>SUB-TOTAL</b>					-



Republic of the Philippines  
Southern Luzon State University  
**PHYSICAL PLANT AND FACILITIES**



**Project:** Repair of Watergate at Fishpond of SLSU Alabat

**Location:** SLSU Alabat Campus, Alabat, Quezon

**Implementation:** by Contract

**Duration:** 20 working days for 3 Mason and 2 Helpers

## SCOPE OF WORKS

### I. Mobilization/Demobilization

- Mobilization shall include all activities and associated costs for transportation of Contractor's personnel, equipment, and operating supplies to the site; establishment of temporary field offices, and other necessary general facilities for the Contractor's operations at the site; premiums paid for performance and payment bonds, including co-insurance and re-insurance agreements as applicable.
- Demobilization shall include all activities and costs for transportation of personnel, equipment, and supplies not required or included in the contract from the site; including the disassembly, removal and the site cleanup of temporary offices and other facilities assembled on the site specifically for this contract.

### II. Demolition

- This scope includes provision of equipment and manpower.
- Existing Structure specified in the plans or instructed by the agency's representative shall be demolished.







Republic of the Philippines  
Southern Luzon State University  
**PHYSICAL PLANT AND FACILITIES**



**III. Masonry Works**

- Unless otherwise specified, the vertical reinforcement shall be 10mm dia at 600mm o.c for all thickness and horizontal reinforcements for CHB shall be 10mm at every 3 layer of CHB. Lap splices shall be 300 long (Minimum).
- CHB of good quality shall be use to ensure strength of walls
- Plastering of walls shall not be less than 15mm and not to exceed 32mm. must be smooth finished.

**IV. Miscellaneous Works**

- Miscellaneous works shall include the fabrication of 2 pcs flashboards made of good lumber of size suitable to the water gate dimensions (as specified on the plan)
- This scope also includes fabrication of nylon screen framed with good lumber (as specified on the plan)

PREPARED BY:

**RONELITO O. SAN JOSE, PME**  
Head, Physical Plant and Facilities

REVIEWED BY:

**ENGR. MELVIN A. MAKIPAGAY**  
Director, Planning and Development Office (Infrastructure)

RECOMMENDING APPROVAL:

**DR. ARVIN N. NATIVIDAD**  
OIC - VP, Administrative and Financial Affairs


APPROVED BY:

**DR. FREDERICK T. VILLA**  
University President

NYLON SCREEN

FLASHBOARD


CONCRETE SLAB (CATWALK)




PROJECT TITLE	REPAIR OF WATERGATE OF TEPICOND AT SLSU ALAJAT	PREPARED BY:	ENGR. ROBERTO C. SAN JOSE SINCE, WASHINGTON AND ASSOCIATES	REVIEWED BY:	ENGR. ROBERTO C. SAN JOSE SINCE, WASHINGTON AND ASSOCIATES	RECOMMENDING APPROVAL	DR. ARMANDO NATIVIDAD SINCE, WASHINGTON AND ASSOCIATES	APPROVED BY:	DR. FREDERICK T. VILLA SINCE, WASHINGTON AND ASSOCIATES	DATE	
---------------	--	--------------	---	--------------	---	-----------------------	---	--------------	--	------	--

NYLON SCREEN  
FLASHBOARD

CONCRETE SLAB (CATWALK)




CONCRETE SLAB (CATWALK) 150MM THK WITH 10MM DIA. RSB @100mm O.C.




FRONT VIEW

SIDE WALL WITH 10mm DIA. RSB



SIDE VIEW



TOP VIEW

PROJECT TITLE	REPAIR OF WATERGATE OF FISHPOND AT SLSU ALUMIN	PREPARED BY:	ENGR. RONALDO C. SAN JOSE REG. PROFESSIONAL ENGINEER	REVIEWED BY:	ENGR. BELMONT B. GAY REG. PROFESSIONAL ENGINEER	RECOMMENDING APPROVAL	APPROVED BY:	DATE	DR. FREDERICK T. VILLA SCIENTIST						
---------------	--	--------------	---	--------------	--	-----------------------	--------------	------	-------------------------------------	--	--	--	--	--	--