



Republic of the Philippines  
**SOUTHERN LUZON STATE UNIVERSITY**  
Lucban, Quezon

**REQUEST FOR QUOTATION**

**MICROSCOPE (LAB SCHOOL)**

**Purchase Request No. 2024-09-1913**  
**Approved Budget for the Contract: ₱ 150,000.00**

The Southern Luzon State University through the Bids and Awards Committee invites interested firms/supplier to submit quotation for the procurement of **Microscope (Lab School)** to apply the sum of **One Hundred Fifty Thousand Pesos Only (₱ 150,000.00)** inclusive of VAT, being the **Approved Budget for the Contract (ABC)**, details as follows:

Qty.	Unit	ITEM/S DESCRIPTION
3	unit	Microscope
		*see attached document for the specifications

1. The quotation must be submitted (can also be send thru email at the contact details listed below) or to the Office of the Procurement Office/Bids and Awards Committee, Southern Luzon State University, 2<sup>nd</sup> Flr. Hermano Puli Building, and shall be received by the Committee.

E-mail : [slsuprocurrency@slsu.edu.ph](mailto:slsuprocurrency@slsu.edu.ph)

2. The SLSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/ informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. Southern Luzon State University SLSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.

  
**MARIDEL C. ZABELLA**  
Head, Procurement Office  
Southern Luzon State University  
Lucban, Quezon  
Tel. No.: (042)540-6519







#### Microscope's Specifications :

Eyepieces: pairs of WF(widefield)10X and 25X;  
 Objectives: Plan Achromatic Objective lens DIN 4X, 10X, 40X(S), 100X(S, Oil);  
 Head: 360-degree rotation capability;  
 Mechanical Stage: 3-D double layer;  
 Size: 4-5/8" x 5" (118mm x 127mm);  
 Travel Range (X-Y): 2-13/16" x 1-3/16" (70mm x 30mm);  
 Condenser: Brightfield, LED illumination with rheostat to control light intensity, and Kohler condenser with two iris diaphragms for precise focus, clear examination, and light control, GS and CE approved;  
 Focusing: coaxial coarse & fine knobs on both sides;  
 Power Supply: 100-240VAC, 50/60Hz, AC/DC adapter Included;  
 Dimension: 11" x 7" x 13-3/4" (280mm x 178mm x 350mm).  
 Monitor's specifications:  
 Material : ABS  
 Data format : JPG/AVI  
 Image sensor : 2MP high quality image sensor.  
 Display : 7 inches TF panel, 16:9  
 Resolution : 1920\*1080, 1280\*960, 640\*480  
 Operation system : Windows XP ,Vista, Win7/8/10, Mac 10.5 or above.

Interface : USB 2.0

Power source : DC 5V

Rated voltage : AC 110-240V

(optional) Handheld microscope specifications:

Material : ABS

Image sensor : 1.3MP

Auxiliary Light Source: 8 White LED Lamps

Power-USB (5V DC)

Digital zoom: multistage

Magnification : 1.5-25x

Illumination-range: 0-30000 LUX-ray control adjustable

Packing List:

1\* Storage carrying hand bag

1\* GFT091 Trinocular compound Microscope

1\* 5 pcs prepared slides

1\* 2.0 mp 7 inches Monitor

1\* Handheld Microscope (optional)

4 Plan Achromatic objective lens, 4x, 10x, 40x(s), 100X(s, oil);

1\* cedar oils (5ml) ;

2\* 10X, 2\* 25X Eyepieces;

1\* Dust Cover;

1\* 2mp monitor

1\* adapter ;

1\* power wire;

1\* USB port connect cable;

1\* CD with Software.