



Republic of the Philippines
SOUTHERN LUZON STATE UNIVERSITY
Lucban, Quezon

REQUEST FOR QUOTATION

**SUPPLIES AND MATERIALS FOR PROJECT: ENHANCING TECHNOLOGY TRANSFER AND
COMMERCIALIZATION IN SLSU (ORS)**

Purchase Request No. 2024-10-2105
Approved Budget for the Contract: ₱ 89,000.00


The Southern Luzon State University through the Bids and Awards Committee invites interested firms/supplier to submit quotation for the procurement of **Supplies and Materials for Project: Enhancing Technology Transfer and Commercialization in SLSU (ORS)** to apply the sum of **Eighty Nine Thousand Pesos Only (₱ 89,000.00)** inclusive of VAT, being the **Approved Budget for the Contract (ABC)**, details as follows:

| Qty. | Unit | ITEM/S DESCRIPTION |
|------|------|--|
| 1 | pcs | Universal Tower Extension Cord (at least 10m) |
| 1 | unit | Document Scanner |
| 1 | unit | Multi-function Borderless Printer (6 color dye inks) |
| | | |
| | | *see attached document for specification |

1. The quotation must be submitted (can also be send thru email at the contact details listed below) or to the Office of the Procurement Office/Bids and Awards Committee, Southern Luzon State University, 2nd Flr. Hermano Puli Building, and shall be received by the Committee.

E-mail : slsuprocurement@slsu.edu.ph

2. The SLSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/ informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. Southern Luzon State University SLSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.


MARIDEL C. ZABELLA
Head, Procurement Office
Southern Luzon State University
Lucban, Quezon
Tel. No.: (042)540-6519

REFERENCE FOR CANVASS OF UNIVERSAL TOWER EXTENSION CORD, DOCUMENT SCANNER, AND MULTI-FUNCTION BORDERLESS PRINTER

1. UNIVERSAL TOWER EXTENSION CORD

Preferred Brand: Universal Tower Extension Cord 16-Gang with Switch - WTE-516

Specifications:

1. 12-gang universal outlet tower extension cord with master switch
2. Rigid brass strips for internal connection
3. Outlets are made of copper material for better grip
4. Impact resistant and highly conductive
5. With REAL grounding system connection for safety
6. With built-in safety circuit breaker
7. With built-in lightning protector
8. Outlet enclosures are made up of fire-retardant materials
9. **Max Wattage:** 2500W
10. **Current:** 10A
11. **Voltage:** 250V
12. **Cord Length:** 1.83 Meters

2. DOCUMENT SCANNER

Preferred Brand:

Specifications:

1. **Scanning Speed:** 40 ppm / 80 ipm
2. **Resolution – Optical:** 600 DPI
3. Duplex
4. **ADF Capacity:** 50 Sheets
5. **Image Sensor:** Color CIS x 2
6. **Power Consumption:** 17 W or less
7. **Weight:** 3.4 kg (7.5 lb)
8. **Dimension:** 292 x 161 x 152 mm

3.) MULTI-FUNCTION BORDERLESS PRINTER

Preferred Brand:

Specifications:

1. **Print Method:** On-demand inkjet (Piezoelectric)

2. **Maximum Print Resolution:** 5760 x 1440 dpi (with Variable-Sized Droplet Technology)
3. **Minimum Ink Droplet Volume:** 1.5 pl
4. **Automatic Duplex Printing:** No
5. **Control Panel:** 2.7" TFT Colour LCD
6. **Print Direction:** Bi-directional printing, Uni-directional printing
7. **Nozzle Configuration:** 90 nozzles, each colour (Cyan, Light Cyan, Magenta, Light Magenta, Yellow, Black)
8. **Photo Default - 10 x 15 cm / 4 x 6 ":** Approx. 27 sec per photo (Borderless)
9. **Max Photo Draft - 10 x 15 cm / 4 x 6 ":** Approx. 12 sec per photo (Borderless)
10. **Draft, A4 (Black / Colour):** Up to 37 ppm / 38 ppm
11. **ISO 24734, A4 Simplex (Black / Colour):** Up to 5.0 ipm / 4.8 ipm
12. **Reduction / Enlargement:** 25 - 400%, Auto Fit Function
13. **Max Copies:** 99 copies

**FOR CONCERNS RELATED TO THE PROCUREMENT OF THESE SUPPLIES AND MATERIALS,
PLEASE REFER TO THE FOLLOWING CONTACT INFORMATION:**

MR. GIEHWAY R. LIWANAG

Science Research Assistant,
Innovation and Technology
Support Services Office

0995 865 5167

itsso@slsu.edu.ph