



Republic of the Philippines
SOUTHERN LUZON STATE UNIVERSITY
Lucban, Quezon



REQUEST FOR QUOTATION

LABORATORY EQUIPMENT (ORS)

Purchase Request No. 2025-04-1295
Approved Budget for the Contract: ₱ 81,820.00


The Southern Luzon State University through the Bids and Awards Committee invites interested firms/supplier to submit quotation for the procurement of **Laboratory Equipment (ORS)** to apply the sum of **Eighty-One Thousand and Eight Hundred Twenty Pesos Only (₱ 81,820.00) inclusive of VAT**, being the **Approved Budget for the Contract (ABC)**, details as follows:

Qty.	Unit	ITEM/S DESCRIPTION
1	unit	Stand Mixer
1	unit	Weighing Scale
1	unit	Thermometer with long probe
1	unit	pH Pen
1	unit	Immersion blender
		*see attached document for specifications

1. The quotation must be submitted (can also be send thru email at the contact details listed below) or to the Office of the Procurement Office/Bids and Awards Committee, Southern Luzon State University, 2nd Flr. Hermano Puli Building, and shall be received by the Committee.

E-mail : slsuprourement@slsu.edu.ph

2. The SLSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/ informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. Southern Luzon State University SLSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.


MARIDEL C. ZABELLA
Director, Procurement Office
Southern Luzon State University
Lucban, Quezon
Tel. No.: (042)540-6519

Stand Mixer

- [Dimensions] – 41 x 28 x 52 cm
- [Weight] – 17.06 kg
- [Horsepower] – 0.40 hp
- [Wattage] – 300 w
- [Dough capacity] – 500 grams
- [Flour Power] – 7 cups
- [Cookie Yield] – 9 dozen
- [Warranty] – 1 YEAR Household Warranty, 6 Months Commercial Warranty

[Tilt-head design]

- [10 speeds]
- [Stainless steel bowl]
- [Inclusions] – 1 Nylon Coated Flat Beater, 1 Nylon Coated C-Dough Hook, 1 6 Wire Whisk, 1 Pouring Shield

Weighing Scale

Compact design and Stainless steel casing
Stable and rapid weighing
Net/Gross weight display
Tare up to maximum weight
Large LCD display (5 ½ digits, 1" high)
Weight and Quantity check mode
Selectable auto shut off
Water resistant
Output: RS232 (standard)
Full weighing tare function
LCD Display (Height: 16.5mm)
Power Source: Rechargeable battery, 220v-AC adaptor
Platter Size: 180 mm x 170 mm
Product Dimensions: 250 mm x 190 mm x 55 mm
Net Weight: 1.95 kg

Thermometer with long probe

Chemical resistant probe
Safer than mercury thermometers
Display type: Large, bright 0.25" Display, 3.5-digit LCD
Resolution: 0.1°; 1° above 199.9° and below -19°
Probe diameter: 0.14 in
Battery: 1 1.5V battery

pH Pen

0.01 pH accuracy; Automatic 3-point calibration;
0-60°C Automatic Temp. Compensation
Slim replaceable probe (8mm), suitable for test tubes
Intelligent functions: switch from °F to °C, automatic power-off, pH probe invalidation reminder
Complete kit: 3 types of premixed calibration solutions (4, 7, 10) and storage solution (3M KCL) all in one portable case
CR2032 lithium batteries
IP57 waterproof and dustproof
CE and RoHS certified, and is manufactured under an ISO 9001: 2015 certified quality system

Immersion blender

Power: 1000W
Switching stages: 12
Factory colour: Stainless steel, Black
Height: 393mm
Length: 62mm
Width: 55mm

Material:

Borosilicate glass
Stainless steel
Tritan
Plastic

Rack size: 483 mm (19")

Weight: 2.4kg

Product type: Hand-held blender
