



Republic of the Philippines  
**SOUTHERN LUZON STATE UNIVERSITY**  
Lucban, Quezon



## REQUEST FOR QUOTATION

### **SOUND SYSTEM WITH ACCESSORIES (EXTENSION)**

**Purchase Request No. 2025-05-1606**

**Approved Budget for the Contract: ₱ 69,500.00**

The Southern Luzon State University through the Bids and Awards Committee invites interested firms/supplier to submit quotation for the procurement of **Sound System with Accessories (Extension)** to apply the sum of **Sixty-Nine Thousand and Five Hundred Pesos Only (₱ 69,500.00)** inclusive of VAT, being the **Approved Budget for the Contract (ABC)**, details as follows:

Qty.	Unit	ITEM/S DESCRIPTION
1	set	Wireless Conference Microphone
1	pair	Professional Speaker Wall Mount Bracket Cap: 50kgs
1	pcs	Active Loudspeaker 12-inch (1000W)
1	set	Professional Mixer
1	set	Professional UHF wireless handheld microphone

1. The quotation-n must be submitted (can also be send thru email at the contact details listed below) or to the Office of the Procurement Office/Bids and Awards Committee, Southern Luzon State University, 2<sup>nd</sup> Flr. Hermano Puli Building, and shall be received by the Committee.


E-mail : [slsuprourement@slsu.edu.ph](mailto:slsuprourement@slsu.edu.ph)

2. The SLSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/ informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. Southern Luzon State University SLSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.

  
**MARIDEL C. ZABELLA**  
Director, Procurement Office  
Southern Luzon State University  
Lucban, Quezon  
Tel. No.: (042)540-6519







#### Specification

##### Overall System

Frequency Range: UHF 540 MHz - 590 MHz

Modulation Mode: Wideband FM

Adjustable Range: 50 MHz

Number of Channels: 200

Channel Spacing: 250 KHz

Frequency Stability:  $\pm 0.005\%$

Dynamic Range:  $> 105$  dB


Maximum Frequency Deviation:  $< 45$  KHz

Audio Response: 40 Hz - 18 KHz ( $\pm 3$  dB)

Overall Signal-to-Noise Ratio:  $> 105$  dB

Total Harmonic Distortion:  $< 0.26\%$

Operating Temperature:  $-25^{\circ}\text{C}$  to  $+40^{\circ}\text{C}$



## Professional Speaker Wall Mount Bracke...

Speaker Bracket • Load Capacity: 50kgs



actieve 12  
inch luidspreker 1000 watt |...





# Mixer 8 Channel Passive Mixer

- Brew
- 8 Channel Mixer 32-Bit DSP Effects
- With Bluetooth Play
- With Digital Display MP3 (U-Disk MP3 Input), MP3 with REC
- +48V Phantom Power
- Dual 7 Band EQ
- Each Channel with Mute Switch
- Build in 32-Bit DSP Effects
- Single Group Main Output Control
- With Reduce Noise Function for Karaoke
- Five Band Effect Level Monitor
- Dual Twelve Band Level Display Main Input
- Record Earphone Monitor Output
- 3 Band EQ each Channel





### Specifications:

- 
- 
- Style: Handheld Microphone, Shock Mount
- Communication: Wireless
- Use: Karaoke, Church, Stage Performance, Speech, Singing, Teaching
- Material: ABS
- Function: Noise Cancelling
- Polar Pattern: Cardioid
- Type: Dynamic Microphone, Antenna Diversity Circuit
- Signal to Noise Ratio: 90dB
- Frequency Response: 30Hz-20KHz
- Maximum SPL: 110dB
- Sensitivity: -95dBm
- Product Name: Cordless Microphone
- Frequency Range: 630-660MHz
- Distance: 80 meters
- Color: Black
- Advantage: Digital Circuit
- Special Feature: AF Level, Battery Power Indicator
- Usage: KTV, Meeting, Church, Classroom
- Packing Weight: 2kg
- Packing Size: 32\*24\*15cm