

# Republic of the Philippines SOUTHERN LUZON STATE UNIVERSITY Lucban, Quezon



#### **REQUEST FOR QUOTATION**

### **TOOLS FOR MECHANICAL LABORATORY (CATANAUAN)**

Purchase Request No. 2025-10-2527
Approved Budget for the Contract: # 148,900.00

The Southern Luzon State University through the Bids and Awards Committee invites interested firms/supplier to submit quotation for the procurement of <u>Tools for Mechanical Laboratory (Catanauan)</u> to apply the sum of <u>One Hundred Forty-Eight Thousand and Nine Hundred Pesos Only (P 148,900.00)</u> inclusive of VAT, being the <u>Approved Budget for the Contract (ABC)</u>, details as follows:

Qty. Unit ITEM/S DESCRIPTION		ITEM/S DESCRIPTION		
2	sets	Bench Grinder		
10	pcs	Open Type Welding Mask Heavy Duty PWTA		
1	pcs	Multi-Purpose Bench Vise Heavy Duty Rotating Pipes Kaws 360 Degree Swivel Base		
3	pcs	GWS 700 Angle Grinder 4 inch		
1	sets	Plier Set		
12	pcs	Solar Automatic Dimming Welding Helmet, Protective Mask		
1	pcs	Hand Drill		
20	pcs	Transparent Safety Goggle 45072		
15	pair	Welding Gloves		
1	sets	T Slot End Mill		
1	pcs	Metal Lathe Tailstock Drill Chuck Tools with MT2 for Morse Tape Arbor		
10	sets	Standard Welding Cable Connector Plug and Socket Set		
10	pcs	Metal Hacksaw		
5	box	Welding Electrode (2.5mm)		
1	box	Tool Bit		
10	pcs	Heavy Duty Face Shield		
3	box	Cutting Disc		
2	box	Grinding Disc		
15	pcs	Welding Apron		
1	pcs	Rotatable Precision Angle Vise		
10	pcs	300A/500A Electric Magnetic Grounding Clamp Electric Strong Magnetic Grounding Handy Tool		
4	pcs	Steel Tylon Tape Measure (8 meters)		

4	pcs	Level Bar (60cm)	
1	reel	USA Flex Welding Cable	
		*TO BE DELIVERED TO SLSU CATANAUAN	

1. The quotation-n must be submitted (can also be send thru email at the contact details listed below) or to the Office of the Procurement Office/Bids and Awards Committee, Southern Luzon State University, 2<sup>nd</sup> Flr. Hermano Puli Building, and shall be received by the Committee.

E-mail: slsuprocurement@slsu.edu.ph

2. The SLSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/ informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. Southern Luzon State University SLSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.

MARIDEL C. ZABELLA

Director, Procurement Office Southern Luzon State University Lucban, Quezon

Tel. No.: (042)540-6519



#### Republic of the Philippines SOUTHERN LUZON STATE UNIVERSITY Lucban, Quezon



#### REQUEST FOR QUOTATION

Office/Er	Office/End-User: SLSU Catanauan Date:							
COMPANY NAME: PR No.: 2025-10-2526								
	ADDRESS :							
TEL. N	O./FAX N	0.:			TIN No.:			
1. All er 2. Delivi Adminis delivery 3. Warr (1) one y 4. Price 5. Suppi Certifica Procurei 6. Bidde 7. Pleas		quotation duly sig DEL C. ZABEI Procurement						
Item #	Qty.	Unit	ITEM/S DESCRIPTION	N	Unit Price	e Total Cost		
	2	sets	Bench Grinder					
	10	pcs	Open Type Welding Mask Heavy Duty PWTA					
	1	pcs	Multi-Purpose Bench Vise Heavy Duty Rotating	Pipes Kaws 360 Degree				
			Swivel Base					
	3	pcs	GWS 700 Angle Grinder 4 inch					
	1 12	sets	Plier Set	An ethic Mark				
	12	pcs	Solar Automatic Dimming Welding Helmet, Pro Hand Drill	tective iviask				
	20	pcs	Transparent Safety Goggle 45072					
	15	pair	Welding Gloves					
	1	sets	T Slot End Mill					
	1	pcs	Metal Lathe Tailstock Drill Chuck Tools with MT2 for	r Morse Taper Arbor				
	10	sets	Standard Welding Cable Connector Plug and So					
	10	pcs	Metal Hacksaw					
	5	box	Welding Electrode (2.5mm)					
	1	box	Tool Bit					
	10		Heavy Duty Face Shield					
	3	box	Cutting Disc					
	2	box	Grinding Disc					
	15	pcs	Welding Apron					
	1	pcs	Rotatable Precision Angle Vise					
	10	pcs	300A/500A Electric Magnetic Grounding Clamp	Electric Strong Magnetic				
			Grounding Handy Tool					
	4	pcs	Steel Tylon Tape Measure (8 meters)					
	4	pcs	Level Bar (60cm)					
	1	reel	USA Flex Welding Cable					
			*TO BE DELIVERED TO SLSU CATANAUAN					
			TO BE DELIVERED TO SESS CATALANDAL					
	Period:		LGU FUND - CATANAUAN 30 DAYS  ed your Genaral Conditions, We quote you on the item(s) at prices note all Conditions specified by SLSU Procurement Office.	F	Warranty: Price Validity: Period, Warrant	y & Price Validity are left blank,		
				Printed Name/Si	ignature/Date			
AFA-PRC-	1.02 F2, R	EV. 4			0			

ITEM	DESCRIPTION
	Specifications: Bench grinder 8" 1 HP Heavy duty LBG200 (Grey) Power: 1 HP Rated input power: 200W Rated frequency: 50/60Hz Rated voltage: 220-240V Rated speed: 3550rpm Pad size: 8" Net weight: 4kg
	OPEN TYPE WELDING MASK HEAVY DUTY PWTA  Specifications: Open type mask Heavy duty Ideal for a variety of welding jobs With flip-up lens designed for maximum safety and comfort against UV and IR light
	MULTI-PURPOSE BENCH VISE HEAVY DUTY ROTATING PIPES JAWS 360 DEGREE SWIVEL BASE  Specifications: Jaw opening: 125mm Jaw width: 120mm Anvil size: 80x60mm Mounting hole diameter 10mm Weight: 16kg 360 degree swivel base



#### **GWS 700 ANGLE GRINDER 4 INCH**

#### Specifications:

High performance Long lifetime reliable structure and design Qualified components

Ease of use Compact & slim grip

Compact & Silin grip


Related input power: 710w No-load speed: 12,000 rpm Disc diameter: 100mm Grinding spindle thread: M10 Grip size: 185mm

Grip size: 185mm Weight: 1.6kg Lockable switch



#### PLIER SET

8 inch combination fliers 6 inch diagonal fliers 6 inch long page pliers





## SOLAR AUTOMATIC DIMMING WELDING HELMET, PROTECTIVE MASK

#### Specifications:

Comfortable and safe

Weight: 475g

Frame size: 110x90mm Shading degree: 6-13

Material: PE

#### HAND DRILL

#### Specifications:

Rated power input: 750 W No-load speed: 0 - 3250 rpm Weight without cable: 1.8 kg Chuck capacity: 1,5 - 13 mm

Length: 268 mm Width: 69 mm Height: 192 mm Impact rate at no-load speed: 0 - 48500 bpm



#### TRANSPARENT SAFETY GOGGLE 45072

#### Specifications:

Transparent glass, full nose, eye and side of eye. Rounded fame cover the upper part of glass. Maximum eye protection.



#### WELDING GLOVES

#### Specifications:

Cowhide leather material 14 inches long



#### T SLOT END MILL

#### Specification:

Sizes: 10, 12, 16, 30, 32mm router bit for metal milling CNC slot



## METAL LATHE TAILSTOCK DRILL CHUCK TOOLS WITH MT2 FOR MORSE TAPER ARBOR

#### Specifications:

Type: Chuck

Mandrel material: 1010 low carbon steel

Mandrel taper: MT2 Handle length: 3 1/8"

With key No slippage



## STANDARD WELDING CABLE CONNECTOR PLUG AND SOCKET SET DJK35-50 DKZ 35-50 315A

#### Specifications:

Input voltage: 220V



#### METAL HACKSAW

#### Specifications:

Heavy duty

12 inch high tension backsaw



#### WELDING ELECTRODE (2.5mm)

#### Specifications:

AWS specification: AWS A5.1 E6011

JIS specification: D4311

Other specification: DIN E4343C4



#### TOOL BIT

#### Specification:

Sizes: 1/4, 5/16, 3/8, 1/2, 3/4



#### HEAVY DUTY FACE SHIELD

#### Specifications: Hard plastic type Adjustable head band High quality



#### **CUTTING DISC**

Specification: Sizes: 105 x 1.0mm x 16mm 46-BFINOX MAX 15 300RPM

80M/S



#### **GRINDING DISC**

5 pcs per box 4 inch



#### WELDING APRON

#### Specification:

Size: 60x90cm

Material: 9oz flame retardant cotton

Adjustable straps

Protection from welding spark and sudden flame



#### ROTATABLE PRECISION ANGLE VISE

#### Specification:

High harness cash iron Durable Heavy duty 0-90 degree angle tilt 360 degree bottom plate rotation



300A/500A ELECTRIC MAGNETIC GROUNDING CLAMP ELECTRIC STRONG MAGNETIC GROUNDING HANDY TOOL

#### Specification:

Material: Alloy steel, copper, magnet Dimensions/Size:Large-37mm Small-35mm



#### STEEL TYLON TAPE MEASURE

#### Specification:

Meter tape metric and inch Heavy duty 5 meters / 8 meters



#### LEVEL BAR

#### Specifications:

60mm / 100mm Material: plastic Horizontal bubble Handle design Strong magnetic design

Good precision



#### **USA Flex Welding Cable Specification:**

Color: OrangeCable Type: Flexible copper welding cableConductor Material: 100% pure stranded copperInsulation: Durable synthetic rubber jacket (oil, heat, abrasion, and flame resistant)Gauge/Size (AWG): Specify size, e.g., 1/0 AWG, 2/0 AWG, 4 AWG, etc., depending on needRated Voltage: 600V (standard welding cable rating)Temperature Rating: -50°C to +105°C (flexibility maintained in extreme conditions)Length per Reel: 150ftStandards Compliance: UL listed / ROHS compliant (if applicable)