



**REQUEST FOR QUOTATION**

**OTHER SUPPLIES AND MATERIALS FOR LABORATORY AND ACADEMIC BUILDING (CATANAUAN)**

**Purchase Request No. 2025-09-2435**  
**Approved Budget for the Contract: ₱ 95,640.00**


The Southern Luzon State University through the Bids and Awards Committee invites interested firms/supplier to submit quotation for the procurement of **Other Supplies and Materials for Laboratory and Academic Building (Catanauan)** to apply the sum of **Ninety-Five Thousand and Six Hundred Forty Pesos Only (₱ 95,640.00)** inclusive of VAT, being the **Approved Budget for the Contract (ABC)**, details as follows:

Qty.	Unit	ITEM/S DESCRIPTION
8	pcs	Stainless Steel Ceiling Fan
30	pcs	Trash Bin
2	pcs	GXS18V-16N14 Professional 18V Batteries
1	set	Metric & Imperial Digital Caliper, Micrometer, Rule Measuring Set
1	pcs	Heavy Duty Anvil
		*DELIVER TO SLSU CATANAUAN CAMPUS

1. The quotation-n must be submitted (can also be send thru email at the contact details listed below) or to the Office of the Procurement Office/Bids and Awards Committee, Southern Luzon State University, 2<sup>nd</sup> Flr. Hermano Puli Building, and shall be received by the Committee.

E-mail : [slsuprocurement@slsu.edu.ph](mailto:slsuprocurement@slsu.edu.ph)

2. The SLSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/ informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. Southern Luzon State University SLSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.

  
**MARIDEL C. ZABELLA**  
Director, Procurement Office  
Southern Luzon State University  
Lucban, Quezon  
Tel. No.: (042)540-6519



Unit	Item Description	Quantity
pcs	<b>Stainless Steel Ceiling Fan</b> 56" (1,400mm) 3-leaf stainless steel propeller type fan blade 90W 3-speed settings Max Speed: 350 RPM Max airflow: 270 m <sup>3</sup> /min Wall-mounted continuous rotary switch Equipped with a resettable Thermal Cut-Off Fuse (TCO) Dimensions: 140 x 140 x 58 cm (L x W x H) <b>Deliver to SLSU CATANAUAN</b>	8
pcs	<b>TRASH BIN</b> Specifications: Capacity: 45L	30
pcs	<b>GXS18V-16N14 Professional 18V Batteries</b> Battery Chemistry Lithium Ion Battery Watt Hours 144 Wh Height in 2.7 " Length in 4.6 " Width in 3 " Works With Charger Compatibility, All Bosch 18V Lithium-ion Batteries, Including GBA18V120 12 Ah Battery <b>Includes</b> (1) GBA18V80 18V CORE 18V@ Lithium-Ion 8 Ah High Power Battery (1) GAL18V-160C 18V Connected-Ready Lithium-Ion 16 Amp Battery Turbo Charger with Power Boost™	2
set	<b>Metric &amp; Imperial Digital Caliper, Micrometer, Rule Measuring Set</b> Set Contents Digital Caliper, Micrometer, Rule Maximum Dial Indicator Measurement 25mm Maximum Caliper Measurement 150mm Resolution 0.01 mm Accuracy 0.04 mm Imperial or Metric Both Material Stainless Steel	1
pc	<b>HEAVY DUTY ANVIL</b> 20kg	1