



Republic of the Philippines
SOUTHERN LUZON STATE UNIVERSITY
Lucban, Quezon



REQUEST FOR QUOTATION

CONSOLIDATED PRINTER FOR VARIOUS OFFICES (MIS)

Purchase Request No. 2026-05-1502

Approved Budget for the Contract: ₱ 1,045,500.00

The Southern Luzon State University through the Bids and Awards Committee invites interested firms/supplier to submit quotation for the procurement of **Consolidated Printer for Various Offices (MIS)** to apply the sum of **One Million Forty-Five Thousand and Five Hundred Pesos Only (₱ 1,045,500.00)** inclusive of VAT, being the **Approved Budget for the Contract (ABC)**, details as follows:

Item #	Qty.	Unit	ITEM/S DESCRIPTION
1	27	unit	EcoTank All-in-One Printer
2	4	unit	Impact Dot Matrix Control Printer
3	23	unit	A4 Wi-Fi All-in-One Ink Tank Printer
4	5	unit	A3+ Wi-Fi Duplex All-in-One Ink Tank Printer

1. The quotation shall be submitted on or before JUN 15 2026 to:

(1) Procurement Office/BAC Office
Southern Luzon State University
2nd Flr. Hermano Puli Building, Quezon Ave.,
Brgy. Kulapi, Lucban, Quezon

OR

(2) Thru email: slsuprourement@slsu.edu.ph

2. The SLSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/ informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. Southern Luzon State University SLSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.



MARIDEL C. ZABELLA
Director, Procurement Office
Southern Luzon State University
Lucban, Quezon
Tel. No.: (042)540-6519

①



Print Method: On-demand inkjet (Piezoelectric) Printer Language: ESC/P-R, ESC/P Raster Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow) Maximum Resolution: 5760 x 1440 dpi Automatic 2-sided Printing: No, Photo Default - 10 x 15 cm / 4 x 6 " *¹: Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless) *²Draft, A4 (Black / Colour): Up to 33.0 ppm / 15.0 ppm *²ISO 24734, A4 Simplex (Black / Colour): Up to 10.0 ipm / 5.0 ipm *²First Page Out Time from Ready Mode (Black / Colour): Approx. 10 sec / 16 sec *²

2



Print Method: Impact dot matrixControl Panel: 4 switches and 5 LEDsPrint Direction: Bi-direction with logic seeking Number of Pins in Head: 9 pinsControl Code: ESC/P and IBM PPDS emulationNumber of Pins: 9 High Speed Draft: (10 / 12 / 15 cpi): 347 / 357 / 390 cps (Condensed, 17 / 20 cpi): 383 / 298 cpsDraft: (10 / 12 / 15 cpi): 260 / 312 / 223 cps (Condensed, 17 / 20 cpi): 222/260cps(Emphasized, 10 cpi): 130 cpsNLQ: (10 / 12 / 15 / 17 / 20 cpi): 65 / 78 / 55 / 47 / 56 cps Printhead Life: Approx. 400 million strokes/wire Mean Print Volume Between Failure (MVBF): Approx. 20 million lines (Except print head) Mean Time Between Failure (MTBF): Approx. 10,000 POH (25% Duty)

3



Printing Technology: Printer Language: ESC/P-R, ESC/P RasterPrint Direction: Bi-directional printingTechnology: PrecisionCore PrintheadNozzle Configuration: 400 x 1 nozzles Black, 128 x 1 nozzles per Colour (Cyan, Magenta, Yellow)Minimum Droplet Size: 3.3 plMaximum Resolution: 4800 x 1200 dpi (with Variable-Sized Droplet Technology)Automatic 2-sided Printing: No, Photo Default - 10 x 15 cm / 4 x 6 " *2: Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless) Draft, A4 (Black / Colour): Up to 33.0 ppm / 20.0 ppm ISO 24734, A4 Simplex (Black / Colour): Simplex: Up to 15.0 ipm / 8.0 ipm First Page Out Time from Ready Mode (Black / Colour): Approx. 10 sec / 16 sec

4



Printer Type: Print, Scan, Copy, Fax with ADF
Print Method: PrecisionCore™ Printhead
Minimum Ink Droplet Volume: 3.3 pL
Printer Language: ESC / P-R
Print Direction: Bi-directional
printing
Nozzle Configuration: 400 x 1 nozzles (Black), 128 x 1 nozzles per colour (Cyan, Magenta, Yellow)
Maximum Resolution: 4800 x 1200 dpi
Automatic 2-sided Printing: Yes (up to A4 / Letter)
Photo Default - 10 x 15 cm / 4 x 6 " *¹: Approx. 71 sec per photo (Border) / 95 sec per photo (Borderless)
²Draft, A4 (Black / Colour): Up to 38.0 ppm / 24.0 ppm *²ISO 24734, A4 Simplex (Black / Colour): Up to 17.0 ipm / 9.0 ipm *²ISO 24734, A4 Duplex (Black / Colour): Up to 7.0 ipm / 5.0 ipm *²ISO 24734, A3 Simplex (Black / Colour): Up to 3.5ipm / 2.3 ipm *²First Page Out Time from Ready Mode (Black / Colour): Simplex: Up to 10 sec / 16 sec *² Duplex: Up to 17 sec / 25 sec *²